



EcoMo(Round) Hand Dryer


An ergonomic, high speed, wheelchair friendly hand dryer. In a comfortable natural position, users can effectively dry their hands without water splash-back. It is also a great dryer for high traffic locations with its absorbent, ceramic pad that prevents water overflow. The super HEPA filter also eliminates over 99% of any present bacteria.





HIGH SPEED RANGE

Why EcoMo?


Specs

 carbon dioxide emission
3.5g only


 air speed 75-95 m/s


 standby power 0.3-0.4W


 1.6kW only

 IP21 / IP24 (optional)


Design


 HEPA filter + carbon filter + antibacterial filter

 absorbent, ceramic pad


 large drying area

 heater on / off

 sound & power adjustment


 recycled and reused

In Use


 10-15 seconds drying time

 user friendly


 three safety protections

 60s timing protection


 easy to clean

 easy maintenance


Specification




Model Name: EcoMo21
Cover Finish: White
Cover Material: Plastic
Operation: Automatic



Model Name: EcoMo22
Cover Finish: Silver
Cover Material: Plastic
Operation: Automatic



Model Name: EcoMo23
Cover Finish: White and Gray
Cover Material: Plastic
Operation: Automatic



Model Name: EcoMo24
Cover Finish: Black
Cover Material: Plastic
Operation: Automatic



Specification

Packaging (carton):	1 dryer/carton. G.W. 11.4 kg. Meas. 2.6'
Drying Time:	Less than 10-15 seconds
Operating Voltage:	110-120 Vac, 50/60 Hz, 12.2-13.4 A, 1.34-1.6 kW 220-240 Vac, 50/60 Hz, 6.1-6.7 A, 1.34-1.6 kW
Motor Wattage:	455-700 W, Adjustable
Standby Power:	0.3-0.4 W
Air Speed:	75-95 m/s, Adjustable
Sound Level:	MIN 69.6 dB to 72.8 dB MAX @ 1m
Sensing Range:	150 ± 20 mm, Adjustable
Drip Proof:	IP21 / IP24 (optional)
Timing Protection:	60 seconds auto shut off
Motor Thermal Protection:	Auto resetting thermostat turns unit off, at 95 °C (203 °F) - for 110-120V Auto resetting thermostat turns unit off, at 130 °C (266 °F) - for 220-240V
Heater Thermal Protection:	Auto resetting thermostat turns unit off at 85 °C (185 °F) Thermal fuse cuts unit off at 142 °C (185 °F)

Safety Approvals:



ADA-COMPLIANT

