


Automatic Liquid Soap Dispenser

Our automatic liquid soap dispensers can be refillable to reduce waste, and they are energy saving. Also, the smart LED indicator will flash to indicate status such as low battery for the soap dispenser. Hokwang's automatic liquid soap dispensers is alcohol-resistant, so it is usable in the kitchen as a dish detergent dispenser or sanitizer dispenser to help everyone stay clean and stop the spread of germs.



Why Hokwang's Auto Liquid Soap Dispenser?










Specification

106 mm






Battery Type: Alkaline C type x 3 pcs



Model Name: HK-800DA Cover Material: ABS Capacity: 950 ml

Battery Type: Alkaline C type x 3 pcs




Model Name: HK-950SA

Cover Material: Stainless Steel (#304)

Capacity: 800 ml

Battery Type: Alkaline C type x 3 pcs



Model Name: HK-RSD

Cover Material: Stainless Steel (#304) & ABS

Capacity: 800 ml

Battery Type: Alkaline AA type x 4 pcs





Specification

Packaging (carton): HK-950DA: 12 dispensers/carton. G.W. 12.0 kg. Meas. 2.4'

HK-800DA: 12 dispensers/carton. G.W. 12.0 kg. Meas. 2.4' HK-950SA: 12 dispensers/carton. G.W. 17.6 kg. Meas. 2.4' HK-RSD: 12 dispensers/carton. G.W. 15.2 kg. Meas. 2.4'

Battery Life: HK-950DA: 145k drops/cycles or one year

HK-800DA: 145k drops/cycles or one year HK-950SA: 145k drops/cycles or one year HK-RSD: 40k drops/cycles or one year

Soap Tube Life: 200k cycles

Mechanism Life: 500k cycles

Light Indication: Blue LED light flash four times for sensing range detection.

Flashing blue light: low batteries

Safe Operation: Power off automatically once casing is opened


Smart Design: All key parts are independent for easy maintenance.

Container assembly and mechanism of dispenser are 100% separation;


mechanism is free from damage by soap.

Patented Soap Pump: Liquid soap, liquid alcohol, alcohol gel, sterilized iodine and detergents

Safety Approvals: (RoHS



Recommended Installation Height: 200 mm



Recommended Installation Height: 200 mm



